

TOYOTA A-PILLAR MOUNTING KIT

COMPATIBLE WITH: 4RUNNER (03-23), TACOMA (05-15),
TUNDRA (07-13) AND SEQUOIA (07-21)



WHAT'S INCLUDED

- 2x A-Pillar Mounting Brackets
- Fixtures

TOOLS REQUIRED

- Socket Wrench (12mm)

COMPATIBLE WITH LAMPS:

- RP Series
- Utility-25
- Utility-50
- ST2 Evolution

DIFFICULTY - 2/5




PRE-INSTALLATION CHECKS

Ensure all vehicle systems are fully operational prior to install, and directly afterwards.

Ensure battery is disconnected.

MOUNTING BRACKET INSTALLATION

NOTE: If mounting any Utility-25 and ST-2 you may need a bigger washer that isn't included.



STEP 1

Tape around the area where you will be working.



STEP 2

Starting on the driver side, use a ratchet with a 12mm socket to remove the front bolt securing the hood to the hinge. Loosen the rear bolt, but do not remove it.



STEP 3

Position the driver-side bracket over the hood hinge, aligning the front mounting hole. The rear of the bracket should angle away to allow access to the rear bolt. Insert the front bolt through the bracket and thread it into the hood a few turns to hold the bracket loosely in place.

Tip: Mark the outline of the hood hinge before removal to help with realignment during reinstallation.

While supporting the hood, remove the rear bolt. Insert it through the rear hole of the bracket and thread it back into the hood. Align the hood hinge with the paint outline from its original position, then tighten both bolts securely.



STEP 4

Install Triple-R LED light.

Repeat steps on other side.

STEP 5

Run wiring to desired switch. It is recommended to use the available corresponding Triple-R wiring kit for your product (please refer to the wiring kit product page for further wiring instructions).